

Message

From: Nonresponsive based on revised scope
Sent: 11/20/2018 4:06:50 PM
To: Wagner, Christine [Wagner.Christine@epa.gov]
CC: Nonresponsive based on revised scope
Subject: Shiloh GWS Data
Attachments: Gamma_Survey_July302018.pdf

Chris,

The only day actual gamma walkover survey data was collected was the one day I was onsite. And that process was part of 4 people walking side by side looking for elevated readings. Of the 4 people, only one had the GWS equipment on, the other three were using one 44-10 and two model 19's. We were really just locating and flagging the discrete locations. As discussed on the phone, we did not observe elevated areas that would be more indicative of soil contamination, but it appeared to just be mostly buried discrete objects.

Attached is the raw GWS data that was collected, the GWS lines are pretty separated due to it being one of 4 people side by side, and only covers a small portion of the site covered that afternoon. I could have our mapping guys try and process this data to do a sort of heat map for this portion of the property if that would be helpful, but thinking that isn't exactly what you need. It would not cover the other portions of the site. As you can see on the attached data, the elevated readings are very isolated to what we expect to be buried discrete objects, so points are a good way to present that data, but I understand if you were expecting a GWS that would come as a surprise.

If you do want a GWS of the property, it wouldn't be hard to do, but would need more data collection. I would think two of us could knock it out in two days on site. We could process the map in a day or two. I could free up some time to get this done, but not sure if you would be interested in another field collection effort.

Nonresponsive based on revised scope

Nonresponsive based on revised scope

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.